



R T W PRODUCT PRICE LIST
Valid from: July 2009



Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
1000-40	Analog peak program meter, DIN 45406 specifications	£1,022
1018	Instrument case for a 190 x 40 mm panel-mount meter, without power pack	£89
1019GL	Analog peak program meter, DIN 45406 specifications + loudness meter + phase correlation meter	£1,414
1020E	Instrument case with power pack for an analog 190 x 40 mm panel-mount meter	£308
10220	Instrument case with power pack for a 11519, 11520, 11528 or 11529 digital instrument	£308
1028A	Power pack + bracket, matching an analog compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£308
1028D	Power pack + bracket, matching a digital compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£308
10500X-PLU	Digital Monitor 2 Channel Vectorscope, XLR 2 ch AES3 I/P 24 bit + Loop-thru O/P, ITU loudness + correlation meters, 2 ch multi-standard PPM, 132 x 99 mm VGA display, Graphite grey case, includes PSU 1172-R	£1,736
1052-35EBU	Digital peak program meter, AES/EBU digital standard	£1,106
1052X40	Digital peak program meter, AES/EBU digital standard	£1,106
10600-PLUS	SurroundMonitor, Surround Sound Analyzer + audio vectorscope + six channel multi-standard peakmeter, with 3 AES/EBU inputs for fully digital environments table-stand and mains adapter	£3,159
	90 - 264 V-AC/24 V-DC 630 mA	
1061X	PortaMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter	£1,955
1061X-PLUS	same as 1061, but with table-stand and mains adapter	£2,049
	90 - 264 V-AC/24 V-DC 630 mA	
10611X-VID	same as 1061X, but half 19"/3U rack-mount version	£2,422
1062X	PortaMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter + real time analyzer	£2,217
1062X-PLUS	same as 1062X, but with table-stand and mains adapter	£2,319
	90 - 264 V-AC/24 V-DC 630 mA	
1063X	PortaMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter	£2,483
1063X-PLUS	same as 1063X, but with table-stand and mains adapter	£2,585
	90 - 264 V-AC/24 V-DC 630 mA	
1064X	PortaMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter + real time analyzer	£2,744
1064X-PLUS	same as 1064X, with table-stand and mains adapter	£2,851
	90 - 264 V-AC/24 V-DC 630 mA	
10641X-VID	same as 10641X, but half 19"/3U rack-mount version	£3,141
1065X-3U	BroadcastMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter + real time analyzer; insert module for 19"/3U subrack	£2,721
10660-VID	SurroundMonitor, Surround Sound Analyzer + audio vectorscope + six channel multi-standard peakmeter, with 3 AES/EBU inputs for fully digital environments. Half 19"/3U (video) rack-mount version	£3,449
1067X-3U	BroadcastMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter + real time analyzer; insert module for 19"/3U subrack	£3,262
10689-PLUS	DigitalMonitor 8ch, eight-channel multi-standard peak program meter + correlation meter + audio vectorscope table-stand and mains adapter	£3,066
	90 - 264 V-AC/24 V-DC 630 mA	
1069A-120	MasterMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter	£2,441
10800XPLUS	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs, with table-stand and wide range	£4,219
	100 - 240 V-AC/24 V-DC 1,05 A power supply	
10809XPLUS	same as 10800XPLUS, but with digital inputs only	£3,934
10810-203	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs, flush-mount version with anthracite grey 203 x 170 mm front panel, i. e. for Studer D950	£4,289



R T W PRODUCT PRICE LIST
Valid from: July 2009



Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
10820-203	same as 10810-203, but version with light grey 203 x 200 mm front panel, i. e. for Lawo MC ²	£4,289
10830-218	same as 10810-203, but version with 218 x 160 mm front panel, i. e. for SSL consoles	£4,289
10860X-VID	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs. Half 19"/3U (video) rack-mount version	£4,517
1090-120	PeakMonitor, analog and digital 8-channel multi-standard peak program meter, front panel width 120 mm	£2,935
1090-140	same as 1090-120, but with front panel width 140 mm	£2,935
1113G	Analog peak program meter, DIN 45406 specifications	£742
1115G	Analog peak program meter, DIN 45406 specifications	£905
1117G	Analog peak program meter, DIN 45406 specifications	£1,017
1119G	Analog peak program meter, DIN 45406 specifications + phase correlation meter	£1,283
11280H	Power pack + bracket for 40x190mm Analogue Meter	£271
11280	Power pack + bracket for 11519, 11520, 11528, 11529 digital meters	£271
1130G	Analog peak program meter, British Standard scale IIa	£905
1134G	Analog peak program meter, British Standard scale IIa + phase correlation meter	£1,283
11519G	Digital peak program meter, AES/EBU digital standard + phase correlation meter	£1,283
11520G	Digital peak program meter, AES/EBU digital standard	£1,209
11528G	Digital peak program meter, AES/EBU digital standard + loudness meter + phase correlation meter, with +9 dB fixed headroom and +9 dB to -60 dB scale	£1,414
11529G	Digital peak program meter, AES/EBU digital standard + loudness meter + phase correlation meter,	£1,414
1163	Snake cable 4 meter, distributes 25p-Sub-D to 8 x XLR-M for SurroundMonitors 10900, 11900 and SurroundControls 30900, 30960, 31900, 31960	£131
1167	Snake cable 4 meter, distributes 25p-sub-D- to 4XLR-M & 4XLR-f for 31900,31960 & 11900 digital I/O	£131
1170C	Analog phase correlation meter	£639
1172-R	Wide-range 100 - 240 V-AC/24 V-DC 630 mA power supply with Euro, UK, US, AUS plugs, for powering PortaMonitors, DigitalMonitors, SurroundMonitor 10600, Peakmeter 1205D, Display 30010	£93
1174-R	Wide-range 100 - 240 V-AC/24 V-DC 1.25 A power supply with Euro, UK, US, AUS plugs, for powering the SurroundMonitor 10800X, 10808X, 10809X, 108nn-nnn	£121
1177A-R	Wide range 90 - 264 V-AC/24 V-DC 3 A power supply for powering SurroundControl 30960, 31960. Table-top unit	£121
1186	Snake cable 4 meter, distributes 25p-Sub-D to 8 x XLR-F for 4-ch PortaMonitors, 4-ch BroadcastMonitor, SurroundMonitors and SurroundControls	£131
11900	SurroundMonitor: Surround Sound Analyzer + eight-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for VGA display. 19"/1U rack-mount, built-in wide-range power supply. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703; Dolby® E/AC-3 decoder with SDI HD/SD deembedder option 13706	£4,382
11900D	same as 11900, but with Dolby® E/AC-3 decoder installed. Available option: SDI HD/SD deembedder option 13703	£7,574
11900S	same as 11900, but with SDI HD/SD deembedder installed. Available option: Dolby® E/AC-3 decoder option 13705	£7,331
11900SD	same as 11900, but with SDI HD/SD deembedder and Dolby® E/AC-3 decoder installed	£10,509
1204A	Analog peak program meter, DIN 45406 specifications + phase correlation meter, light grey table-top housing	£961
1205D	Digital peak program meter interfacing with AES/EBU- and SPDIF ports + phase correlation meter, light grey table-top housing	£961
1206B	Analog peak program meter + VU meter, British Standard and VU standard	£630
1206D	Analog peak program meter, DIN 45406 specifications	£611
1206D F13	same as 1206D, but reference level +13 dBu	£611
1206DR	Analog peak program meter, DIN 45406 specifications,	£677



R T W PRODUCT PRICE LIST
Valid from: July 2009



Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
	with input transformers	
1206V	VU meter + analog peak program meter, VU standard and DIN 45406 specifications	£630
1206V F04	same as 1206V, but reference level +4 dBu	£630
1252DIG	Digital peak program meter, interfacing with AES/EBU- or SPDIF- or optical Toslink port, digital scale 0 dB FS and DIN 45406 quasi-analog scale	£835
1252DIG-B	Digital peak program meter, interfacing with AES/EBU- or SPDIF- or optical Toslink port, digital scale 0 dB FS and British Standard scale IIa	£835
1260C	Analog phase correlation meter	£621
12961	19"/1U rack-mount kit, for one 300DV-PLUS, 1206, 1252DIG or 1260 instrument and for one plug-in type instrument with 190 x 40 mm front panel	£126
12991	19"/1U rack-mount kit, for one 1252DIG, 300DV-PLUS, 1206 and/or 1260 instrument	£79
12992	19"/1U rack-mount kit, for two 1252DIG, 300DV-PLUS, 1206 and/or 1260 instruments	£89
12993	19"/1U rack-mount kit, matching one instrument with 190 x 40 mm front panel	£98
12994	19"/1U rack-mount kit, matching two instruments with 190 x 40 mm front panel	£126
12996	cover plate & mounting frame for 190 x 40 mm instruments. Overall dimensions 210 x 60 mm	£75
13671	Blank panel for covering one cut-out of the 12992 rack-mount kit (not featured in the catalogue)	£61
13703	SDI HD/SD deembedder option for SurroundMonitor 11900, 11900D and SurroundControl 31900, 31900D, 31960, 31960D	£3,775
13704	Dolby® E and AC-3 decoder option for SurroundMonitor 11900 and SurroundControl 31900, 31960	£4,102
13705	Dolby® E and AC-3 decoder option for SurroundMonitor 11900S and SurroundControl 31900S, 31960S	£4,102
13706	SDI HD/SD deembedder option + Dolby® E / AC-3 decoder option for SurroundMonitor 11900 and SurroundControl 31900, 31960	£7,882
13709	Panel mounting kit for Remote Display 30010	£33
13710	Retrofit table-stand for PortaMonitor 1061X, 1062X, 1063X, 1064X or SurroundMonitor 10800X, 10808X, 10809X	£117
13713	Panel mounting kit for PortaMonitor 1061X, 1062X, 1063X, 1064X, DigitalMonitor 10500, 10689 and SurroundMonitor 10600	£14
13715	Panel mounting kit for SurroundMonitor 10800X, 10808X or 10809X	£14
13719	Retrofit table-stand for DigitalMonitor 10500, 10689, or SurroundMonitor 10600	£79
13720	Measurement microphone MM1 for calibrating studio loudspeaker system, option for 10900, 11900, 30900, 30960, 31900, 31960	£201
13721	Blank panel 40 x 190mm (WxH)	£65
13725	19"/1U rack-mount kit, matching one compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£93
13726	19"/1U rack-mount kit, matching two compact instruments with 140 x 40 mm or 140 x 35 mm front panel	£126
300DV-PLUS	Analog program level meter, DIN 45406 specifications and VU standard, incl. mains adapter, mounting bracket	£481
30010	Remote display 8.4" VGA with keyboard installed beneath, option for SurroundMonitors 10900, 11900 and SurroundControl 30900, 30960, 31900, 31960	£1,339
30050	Remote control, option for SurroundControl 30960, 31960 and for 30900, 31900 as secondary remote control	£1,092
31900	SurroundControl: 8-channel monitoring controller with remote control, combined with Surround Sound Analyzer + 8-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for VGA display. 19"/1U rack-mount, built-in wide-range power supply. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703;	£6,529
31900D	Dolby® E/AC-3 decoder + SDI HD/SD deembedder option 13706 same as 31900, but with Dolby® E/AC-3 decoder installed. Available option: SDI HD/SD deembedder option 13703	£9,721
31900S	same as 31900, but with SDI HD/SD deembedder installed. Available option: Dolby® E/AC-3 decoder option 13705	£9,473



R T W PRODUCT PRICE LIST
Valid from: July 2009



Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
31900SD	same as 31900, but with SDI HD/SD deembedder and Dolby® E/AC-3 decoder installed.	£12,651
31960	SurroundControl: 8-channel monitoring controller with front-accessible keys, volume control and 6.5" display combined with Surround Sound Analyzer + 8-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for secondary VGA display. Half 19"/3U (video) rack-mount version. Operating voltage 24V DC, 1.7 A. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703; Dolby® E/AC-3 decoder with SDI HD/SD deembedder option 13706	£7,303
31960D	same as 31960, but with Dolby® E/AC-3 decoder installed. Available option: SDI HD/SD deembedder option 13703	£10,481
31960S	same as 31960, but with SDI HD/SD deembedder installed. Available option: Dolby® E/AC-3 decoder option 13705	£10,243
31960SD	same as 31960, but with SDI HD/SD deembedder and Dolby® E/AC-3 decoder installed	£13,426